

- Ligate Insert
 Helper phage will circularize /Gxise
 White colonies should contain Insert

FIG. 1




FIG. 2




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B






FIG. 10

9/9

3nt + 1nt Ribo Terminator Cloning (2 molecule Vector)

A ORI 2400 nt - size

3nt - 5'OST - CTG CTA AGT GAG CUC GAC AGA

TCG CTG AGA TAG GTG C

3nt - 3'OHT - AAG CTT GCT AGG uag GCT ACG

TCT TGC TGG CGT TCG

KAN 1267 - size

RNA

3nt - 5'KHT - CTA CCT AGC AAG cuu CTA
TCT GGA CAA GGG AAA ACG
RNA

3nt - 3'KST - GAG CTC ACT TAG cag GGC
GAA AAC TCT CAA GGA TC

ORI (s) 824 - size RNA

1nt - 1NT5'ORI - TTG CTA AGT GAG CTc GAC AGA TCG CTG AGA TAG GTG C

> - 1NT3'ORI (s) - AAG CTT GCT AGG TAg GGC GTT TTT CCA TAG GCT CCG

KAN 1267 - size RNA

1nt - 1nt5'kan - CTA CCT AGC AAG CTú CTA TCT GGA CAA GGG AAA ACG RNA

> 1NT3'KAN - GAG CTC ACT TAG CAa' GGC GAA AAC TCT CAA GGA

> > FIG. 11